Data processing in the service of water - or how to transform data into knowledge?





Anna SCHEILI, Ph.D., Chemist

Project manager and expert consultant

WaterShed Monitoring

ascheili@watershedmonitoring.com



What is optimized water management?



What is optimized water management?



3/32

Where is data in water management?

Legislative and policy framework • Public involvement and awareness Research, science and technology • Guidelines, standards and objectives

Monitoring • Management • Operations • Communication



Adapted from CCME multibarrier approach

Who are the data users?



Main challenges





Planification, management and optimisation of water quality monitoring programs Reliable sampling and analytical protocols and materials during field work and laboratory analyses

Data validation, interpretation and exploitation, data sharing Integrated data management and inclusion of metadata



Data query and exportation

Presentation plan





The pyramid of knowledge





What is data?

« Things known or assumed as facts, making the basis of reasoning or calculation»

(Oxford Languages, 2022)



Fluorescent Dissolved Organic Matter (fDOM)45.82QSUFluorescent Dissolved Organic Matter (fDOM)15.28RFUChlorophyll a [479-61-8]2.29µg/lChlorophyll a [479-61-8]0.55RFUOxanobacteria (by fluorescence method)0.36µg/lTurbidity7.7NTUpH7.71pHSpecific conductance404.5µS/cmDissolved organic Matter (fDOM)0.68mpd/l	PARAMETER	VALUE	UNIT
Fluorescent Dissolved Organic Matter (fDOM)15.28RFUChlorophyll a [479-61-8]2.29µg/lChlorophyll a [479-61-8]0.55RFU0.36µg/lCyanobacteria (by fluorescence method)0.3RFUTurbidity7.7NTUpH7.71pHSpecific conductance9.62µg/l	Fluorescent Dissolved Organic Matter (fDOM)	45.82	QSU
Chlorophyll a [479-61-8] 2.29 μg/l Chlorophyll a [479-61-8] 0.55 RFU Cyanobacteria (by fluorescence method) 0.36 μg/l Cyanobacteria (by fluorescence method) 0.3 RFU Turbidity 7.7 NTU pH 7.71 pH Specific conductance 404.5 μS/cm	Fluorescent Dissolved Organic Matter (fDOM)	15.28	RFU
Chlorophyll a [479-61-8] 0.55 RFU 0.36 µg/l Cyanobacteria (by fluorescence method) 0.3 RFU Turbidity 7.7 NTU pH 7.71 pH Specific conductance 9/l 9/l Diagebund europe 0.60 mgd //l	Chlorophyll a [479-61-8]	2.29	µg/l
O.36µg/lCyanobacteria (by fluorescence method)0.3RFUTurbidity7.7NTUpH7.71pHConductance0.262945g/lSpecific conductance404.5µS/cm	Chlorophyll a [479-61-8]	0.55	RFU
Cyanobacteria (by fluorescence method)0.3RFUTurbidity7.7NTUpH7.71pHCurrent conductance0.262945g/lDisaschard environ0.69mg/l		0.36	µg/l
Turbidity7.7NTUpH7.71pHC0.262945g/lSpecific conductance404.5µS/cm	Cyanobacteria (by fluorescence method)	0.3	RFU
pH 7.71 pH 0.262945 g/l Specific conductance 404.5 μS/cm	Turbidity	7.7	NTU
0.262945 g/l Specific conductance 404.5 µS/cm	рН	7.71	рН
Specific conductance 404.5 µS/cm		0.262945	g/l
	Specific conductance	404.5	µS/cm
Dissolved oxygen 9.68 mg/l	Dissolved oxygen	9.68	mg/l
Oxygen saturation 96.7 %	Oxygen saturation	96.7	%

SIMPLY EXPLAINED: METADATA

What is metadata?

« Data that provides information about other data»

Techtarget, 2022

«Structured information that helps describe, explain, locate and use data »

Adproxima.fr, 2022





Context #308776 Updated on : September 19, 2022 09:52

OBSERVED BY

Laura and Thomas

SAMPLING START

September 13, 2022 12:37 September 13, 2022 12:41

SAMPLING END

SAMPLING PROTOCOLS

Proposition d'un programme de suivi de la qualité d'eau à l'échelle du bassin versant de la rivière Saint-Charles, Québec (Chapitre 4: Protocoles)

- Chapitre_4.pdf (20 Mar 14:15) 1.07 MB
- Behmel2010_Programme_suivi_BV_saint_charles.pdf (20 Mar 14:14) 6.27 MB

SAMPLING OBJECTIVE

WaterShed Monitoring

• Enquêtes approfondies sur zones de contaminations potentielles des cours d'eau



Edit

TOOLS

Anémomètre Kestrel and Perche

• NOTES

30 m

Eau légèrement turbide en apparence.

PRECIPITATION TYPE Pas de pluie dans les 48 dernières heures: sec	ѕкү түре Веац
WAVE TYPE	WIND TYPE



WAVE TYPE WIND TYPE - / HARMFUL ALGAL BLOOM HARMFUL ALGAL BLOOM TYPE Unspecified

Probes and laboratories

Observations in context

PROBE

PARAMETER

RECORD(S)

Edit

What is information?

« Data that have been recorded, classified, organized, related and interpreted within a framework so that meaning emerges »

Statistics Canada, 2017









- Well defined objectives
 - ex. conformity, vulnerability or risk analysis, study of extremes, etc.
- Steps of data treatment and management are defined by the objectives
- Applied treatments define obtained knowledge
- A solid basis and structure
 - Robust data and relevant treatment

Applied data treatment steps



- 1 Acquisition
- 2 Cleaning
- 3 Formatting
- 4 Validation
- 5 Qualification and correction
- 6 Structuration
- 7 Storing
- 8 Linking data
- 9 Analysis and exploitation



Data acquisition







Cleaning and formatting



Cleaning

- Identification of relevant data sets
- Duplicates: keep or eliminate?

Formatting

- Crucial step for the rest of the process
- Standardization of intrants
- Consistency and exploitability
- Need efficient collaboration and agreement between parties

Probes and laboratories parameter

English *		
NAME *	Salicylic acid	
DESCRIPTION	Salicylic acid is an organic compound with the formula HOC6H4CO2H. A colorless, bitter-tasting	▲ ▼ []
French		
NAME	Acide Salicylique	
DESCRIPTION		11



Validation, qualification and correction

- Validation
 - Establishing validation rules according to the objectives (ex: units, parameter names, etc.)
 - Possible automatization of strict rules based on
 - Semi-automatized validation: initial filter, than individual treatment, final approval by a human
- Qualification and correction
 - Identification of incorrect data
 - Definition of rules (ex: conformity according to values)
 - Searching for contextual causes (ex: calibration, protocoles, staff, etc.)
 - Definition of specific treatment: conservation, exclusion of calculations, elimination, correction
 - Data distorsion (ex: extremes)
 - Artificial intelligence

ERROR

- Unknown parameters : Lab_ID
- Unknown measuring units : 22H1479-01

Import logs

Sampling point name not found at line 2 Sampling point name not found at line 3 Context not found - Pumphouse Raw Water Line / 2022-05-23 at line 4





What is a database?

« A database is a data structure that stores organized information »

http://techterms.com/definition/database, 2022



Storage and structuration



Relational databases

- Access, update, search information based on the relationships of data stored in different tables
- Run queries that involve multiple databases
- Store text or numeric data, but also other data types: geographical information, sound clips, pictures, videos, etc.





Linking data and creating knowledge



- Linking same type of data
 - Ex: water quality in the distribution system: Free chlorine vs Temperature





→ DE151 - Chlore libre résiduel (sur place) - (mg/l) → DE151 - Température (sur place) - (°C)

Linking data and creating knowledge



- Linking different type of data, from different sources
 - Ex: type of consumer complaints VS localisation VS drinking water quality



EROM	
jj/mm/aaaa 📋	jj/mm/aaaa
PROBLEM TYPE	
All complaint types	*
PROBLEM FREQUENCY	
(*)	
LEAD INLET?	
~	17
CONNECTION CROSSED?	
8	1.
SIGNS OF CORROSION?	
-	
NEIGHBOR IMPACTED?	
-	

Complex and multi-level linking

 Ex: Understanding water quality events in the distribution system







Analysis and exploitation

Monitoring



Communication, visualisation and analysis

Graphs, maps, indices (ex: water quality index)



Water Quality Index

6341 Rue Ducolombier, Québec, QC G2K 2M2, Canada

Based on water quality data available on 3 novembre 2022.

Report Water Quality Issue

The water quality index is calculated with parameters measured regularly by the City of Québec in your area, which characterize the physicochemical and microbiological quality of the water. The value of the index can vary widely depending on the season and the City's areas, however, the water quality remains in line with current standards. If this is not the case, the City issues opinions on the situation in your area.

26/32

Analysis and exploitation

- Decision making and actions
 - Ex: Vulnerability and risk analysis, protection plans



24 743 activités anthropiques répertoriées





Analysis and exploitation

Decision making and actions

- Vulnerability and risk analysis, protection plans
- Alerts

Monitoring



ALERT TYPE *

Avis d'ébullition préventif	•
ALERT ZONES *	
× Zone 31	V
Select all None	
CAUSE OF THE ALERT *	
construction	
	/
EFFECTIVE FROM *	
20 octobre 2022	
EFFECTIVE UNTIL	
22 octobre 2022	
RECOMMENDED ACTION	
l and d'un and d'flevillation it devia de faine le cuillie l'ann de aim é à la	

Lors d'un avis d'ébullition, il s'agit de faire bouillir l'eau destinée à la consommation pendant au moins une minute. L'utilisation de l'eau bouillie est recommandée pour la préneration des elimente et le brecesse des dentes les eutres useses de l'eau petable.



*

11

Conclusions

"Data are just summaries of thousands of stories – tell a few of those stories to help make the data meaningful."

Chip and Dan Heath, authors of "Made to Stick" and "Switch."

Where can adequate data treatment take us?

Legislative and policy framework • Public involvement and awareness Research, science and technology • Guidelines, standards and objectives

Monitoring • Management • Operations • Communication





Discussion



Anna Scheili, PhD ascheili@watershedmonitoring.com

